MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION DRINKING WATER STATE REVOLVING FUND (DWSRF)

2005 PROJECT RATING - REVIEWER'S WORKSHEET

PWS Name: PWS City or Town:		PWS ID #:	
		Project No.:	
Watershed:	Region:	Reviewer:	
A. 1. a. The severity of the public health problem the project is	intended to a	ddress.	
(1) Review criteria listed below; address ALL criteria that apply	and circle a	nd sum applicable values.	
ACUTE CONTAMINANTS		Scoring Valu	
1. Microbiological exceeded MCL 1-2 times exceeded MCL more than 2 times 50		25 or	
2. Nitrate level >5.0 but <10 mg/l exceeded MCL		25 or 50	
3. Arsenic level > 10ppb	1-2 t 3+ ti		
100			
4. Perchlorate level > 1 ppb	1-2 t 3+ ti		
100			
5. System under DEP/DWP boil order during the 1	8 months	25	
6. Turbidity			
exceed MCL or action level 1-2 times exceed MCL more than 2 times		25 or 50	
CHRONIC CONTAMINANTS			
7. Inorganic exceed MCL or action level 1-2 times exceeded MCL or action level more than 2	times	15 or 30	

30 or

20 or

40

60

8. Radiological

9. Organics

exceed MCL 1-2 times

exceed MCL 1-2 times

exceed MCL more than 2 times

exceed MCL more than 2 times

	10. Exceedence of any individual SDWA Rule, i.e Lead & Copper, Surface Water treatmen Disinfection by-product, etc.	t, 20
	11. Secondary Contaminants as determined by the EPA and the DEP	10
A.1.b.	DISTRIBUTION CAPACITY/QUANTITY/RELIABILITY OF SYSTEM Scoring Dist/Quantity Value	ntity
	12. Average Storage Capacity of less than 2 days	15
	13. Continual shortages as evident by a DEP emergency declaration	15
	14. Water Quantity problems not related to declared emergency	10
	15. Pressures not maintained between 20 and 80 psi	10
	16. Provide needed corrosion control	10
	17. Lead services of the Water Supplier will be replaced	10
	18. Breaks per mile 1-2 More than 2	5 10
	19. Replace vinyl-lined pipe	10
	20. Replace asbestos cement pipe	10
	21. Eliminate dead ends OR provide hydrants, bleed valves and/or blow-offs at dead ends	10
	22. Back-up emergency power to treatment facility	5
	23. Adequate interconnection to other Public Water system	5
	24. System affected by tuberculation and/or biofilm	25
	25. Security Measures (1 point each, to maximum of five items) 0 1 2 3 4	5
	26. Population size	200 150 100 50
A. 1. c.	Circle the extent to which the project demonstrably eliminates the threat(s) to public health	
	27. Proposed project substantially eliminates identified public health threat moderately addresses identified public health threat marginally addresses public health threat	200 100 0

Reviewer Comments:

B. 1. a. Circle the extent to which the project is needed to ensure compliance with an existing or administrative order.	g federal or state cou
28. Project achieves substantial compliance with Enforcement Order achieves moderate compliance with Enforcement Order achieves marginal compliance with Enforcement Order	200 o 100 o 0
B. 1. b. The extent to which the project is needed to come into or maintain compliance with 3 SWDA, or other required or related federal or state permit or approval, including the Department drinking water source.	
(1) Circle and sum compliance (b) items below, to get compliance (b) value. Scoring	Compliance (b) Val
29. Project provides DEP required disinfection of a ground water source	23
30. Project provides DEP required proper well construction	23
31. Project provides water treatment residuals manageent	23
32. Project provides corrosion control treatment which is required but not available and does not meet standards	ilable or is not
B. 1. c. The extent to which the project is to address reasonably anticipated, additional federa and has demonstrable benefits to or protection of drinking water quality and/or public health.	
(1) Circle and sum compliance (c) items below, to get compliance (c) value.	
Scoring	Compliance (c) Va
33. Zero SDWA violations within the 12 months prior to application	15
34. Metering to >95% of customer base.	15
35. Upgrading or replacing	
1-2 pump stations 3 or more pump stations	5 or 10
36. Upgrading or replacing existing wells	10
37. Automation of treatment facility	10
38. Upgrade or replacement of intake structure	10
39. Does the system draw water from a high or medium stressed basin or low/a a localized flow problem noted in a WMA permit condition? (If yes, points add	
40. (a) Performed completed system Water Audit within past 2 years?	3
If yes and in stressed basin as noted above (#39)	3

over the last 2 years If answer is yes and is in stressed basin as noted in #39 above 3 (c) Has fixed the following percentage of leaks (3 gpm or larger) detected in survey: 100% 4 (8 if also in stressed basin see #39) 50% or more 2 (4 if also in stressed basin see #39) 41. (a) Residential per capita water use In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15 Reviewer Comments:	(b) Performed leak detection survey of 100% of the dis	· · · · · · · · · · · · · · · · · · ·
(c) Has fixed the following percentage of leaks (3 gpm or larger) detected in survey: 100% 4 (8 if also in stressed basin see #39) 50% or more 2 (4 if also in stressed basin see #39) 41. (a) Residential per capita water use In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	over the last 2 years	3
100% 50% or more 2 (4 if also in stressed basin see #39) 41. (a) Residential per capita water use In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15		
41. (a) Residential per capita water use In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15		
41. (a) Residential per capita water use In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	100%	4 (8 if also in stressed basin see #39)
In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	50% or more	2 (4 if also in stressed basin see #39)
In low stress/unassessed basins that use 80 gpcd or less In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15		
In low stress/unassessed basins that use 65 gpcd or less In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	41. (a) Residential per capita water use	
In stressed basins or portions of basins (as defined by question 39 above) that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	In low stress/unassessed basins that use 80 gpcd or	r less 2
that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	In low stress/unassessed basins that use 65 gpcd of	r less 4
that use 65 gpcd or less 8 (b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	In stressed basins or portions of basins (as defined	d by question 39 above)
(b) Unaccounted for water For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15		• •
For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	St.	
For low stress/unassessed basins and rate is 15% or less For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	(b) Unaccounted for water	
For high/medium stress basins and rate is 10% or less 10 (c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	· ·	less 10
(c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 2 42. DEP-approved Source Water Protection Plan 10 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15		
(c) For the last 2 years, were all venturi metering systems calibrated twice per year and are all inline meters calibrated annually? 42. DEP-approved Source Water Protection Plan 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15		
inline meters calibrated annually? 42. DEP-approved Source Water Protection Plan 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	- ·	
inline meters calibrated annually? 42. DEP-approved Source Water Protection Plan 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	(c) For the last 2 years, were all venturi metering system	ns calibrated twice per year and are all
 42. DEP-approved Source Water Protection Plan 43. Water supplier has taken significant local action to promote conservation such as increasing block rate 44. Project achieves compliance in anticipation of a requirement. 15 	• • •	<u>.</u> •
43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	mino meters can stated amidany.	-
43. Water supplier has taken significant local action to promote conservation such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	42. DEP-approved Source Water Protection Plan	10
such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	The Deli approved bource water i fottetton i fair	10
such as increasing block rate 15 44. Project achieves compliance in anticipation of a requirement. 15	43. Water supplier has taken significant local action to pr	romote conservation
44. Project achieves compliance in anticipation of a requirement. 15		
	such as mereasing block rate	13
	44 Project achieves compliance in anticipation of a requir	rement 15
Reviewer Comments:	44. I roject acine ves compnance in anticipation of a requir	cment.
Reviewer Comments.	Reviewer Comments:	
	Reviewer Comments.	

- C. Affordability Criteria [See 310 CMR 45.06(c).] 10% of the weight will be on affordability criteria.
- (1) Circle and sum affordability items below, to get affordability value.

Scoring Affordability Values

- C. 1. (a.) Systems with service area median income of \$40,401or less. (That is, 80% or less of State Median Household Income of \$50,502.)
- (1) To answer this question, applicants may use the MHI prepared by the US Census from 1999. http://quickfacts.census.gov, for the most appropriate city, town, or census designated place completely including the service area of the applicant. If that service area includes more than one such designated MHI area, a weighted overall average based on population served in each of the covered MHI areas times the MHI for that area plus the same for any other such area, and divided by the total number served, shall be used to calculate the combined MHI.

(2) Alternatively, applicants may provide a service-area-specific MHI from an independent income survey covering the service area, provided that said independent survey is no more than eleven years old at the time of application. 45. All systems in such communities: 100 C. 1. (b.) Systems which will have rates to end users which result from the project in excess of 1% of the median household income MHI of the service area will be awarded points as shown below: 46. Range: Greater than 1.75% 100 or 1.5% to 1.749% 70 or 1.25% to 1.499% 50 or 1.0% to 1.1.249% 20 Documentation provided Y/N D. 1. Whether the project is to consolidate and/or restructure a public water system to accomplish System Expansion (Takeover/Consolidation) to Eliminate a Public Health Problem or a Capacity Development Problem [Need to ensure that the water quality in systems being taken over is maintained or improved.] (1) Circle and sum consolidation/restructuring values. Scoring Consolidation/Restructuring Values 47. Consolidation/Restructuring to take over 1-2 systems 40 or to take over 2 or more systems 80 48. Consolidation/Restructuring to replace a source instead of treating contamination in the system to be taken over (or threat of contamination as determined by a DEP approved study that indicates a plume of contamination moving toward source) 80 D. 2. The extent to which the project implements or is consistent with one or more current watershed management plans (e.g., EOEA basin plans) and/or watershed protection plans (1) Sum watershed management values below, to get total watershed management value. Scoring Watershed Management Values 49. Project implements a **EOEA Watershed Plan recommendation** 80 or System Master plan recommendation 40 or Local capital planning recommendation 20 or **DEP Regional priority** 10 D. 3. Circle whether the project constitutes or is a component of a multi-community or regional approach 50. Multi-community project that

substantially addresses regional or basin problem	80 or
moderately addresses regional or basin problem	40 or
[No relevant response]	0

51. Approved Commonwealth Capital Application Score
approved by Commonwealth Development or to be determined (TBD)

Reviewer Comments:

_
-